



Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Effective on 12/08/2004.

Fees pursuant to the Consolidated Appropriations Act, 2005 (H.R. 4818).

# FEE TRANSMITTAL

## For FY 2008

☐ Applicant claims small entity status. See 37 CFR 1.27

TOTAL AMOUNT OF PAYMENT (\$) 510.00

### Complete if Known

Application Number	10/544,215
Filing Date	07/29/2005
First Named Inventor	Thomas Magyar et al
Examiner Name	Chuck Y. Mah
Art Unit	3677
Attorney Docket No.	2003P00364WOUS

### METHOD OF PAYMENT (check all that apply)

☐ Check ☐ Credit Card ☐ Money Order ☐ None ☐ Other (please identify): \_\_\_\_\_

☒ Deposit Account Deposit Account Number: 502786 Deposit Account Name: BSH Home Appliances Corp.

For the above-identified deposit account, the Director is hereby authorized to: (check all that apply)

☒ Charge fee(s) indicated below ☐ Charge fee(s) indicated below, except for the filing fee

☒ Charge any additional fee(s) or underpayments of fee(s) under 37 CFR 1.16 and 1.17 ☒ Credit any overpayments

WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.

### FEE CALCULATION

#### 1. BASIC FILING, SEARCH, AND EXAMINATION FEES

Application Type	FILING FEES		SEARCH FEES		EXAMINATION FEES		Fees Paid (\$)
	Fee (\$)	Small Entity Fee (\$)	Fee (\$)	Small Entity Fee (\$)	Fee (\$)	Small Entity Fee (\$)	
Utility	310	155	510	255	210	105	
Design	210	105	100	50	130	65	
Plant	210	105	310	155	160	80	
Reissue	310	155	510	255	620	310	
Provisional	210	105	0	0	0	0	

#### 2. EXCESS CLAIM FEES

##### Fee Description

Each claim over 20 (including Reissues)

Fee (\$)	Small Entity Fee (\$)
50	25
210	105
370	185

Each independent claim over 3 (including Reissues)

Multiple dependent claims

Total Claims Extra Claims Fee (\$) Fee Paid (\$)  
- 20 or HP = \_\_\_\_\_ x 50.00 = \_\_\_\_\_

HP = highest number of total claims paid for, if greater than 20.

Indep. Claims Extra Claims Fee (\$) Fee Paid (\$)  
- 3 or HP = \_\_\_\_\_ x 210.00 = \_\_\_\_\_

HP = highest number of independent claims paid for, if greater than 3.

#### 3. APPLICATION SIZE FEE

If the specification and drawings exceed 100 sheets of paper (excluding electronically filed sequence or computer listings under 37 CFR 1.52(e)), the application size fee due is \$260 (\$130 for small entity) for each additional 50 sheets or fraction thereof. See 35 U.S.C. 41(a)(1)(G) and 37 CFR 1.16(s).

Total Sheets Extra Sheets Number of each additional 50 or fraction thereof Fee (\$) Fee Paid (\$)  
- 100 = \_\_\_\_\_ / 50 = \_\_\_\_\_ (round up to a whole number) x \_\_\_\_\_ = \_\_\_\_\_

#### 4. OTHER FEE(S)

Non-English Specification, \$130 fee (no small entity discount)

Other (e.g., late filing surcharge): Appeal Brief Fee

Fees Paid (\$)


510.00

#### SUBMITTED BY

Signature	<i>Russell W. Warnock</i>	Registration No. (Attorney/Agent) 32,860	Telephone 252-672-7927
Name (Print/Type)	Russell W. Warnock	Date June 26, 2008	

This collection of information is required by 37 CFR 1.136. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 30 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.



PTO/SB/17 (10-07)

Approved for use through 06/30/2010. OMB 0651-0032

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995 no persons are required to respond to a collection of information unless it displays a valid OMB control number

Effective on 12/08/2004.

Fees pursuant to the Consolidated Appropriations Act, 2005 (H.R. 4818).

# FEE TRANSMITTAL

## For FY 2008

☐ Applicant claims small entity status. See 37 CFR 1.27

TOTAL AMOUNT OF PAYMENT (\$) 510.00

**Complete If Known**

Application Number	10/544,215
Filing Date	07/29/2005
First Named Inventor	Thomas Magyar et al
Examiner Name	Chuck Y. Mah
Art Unit	3677
Attorney Docket No.	2003P00364WOUS

**METHOD OF PAYMENT (check all that apply)**☐ Check ☐ Credit Card ☐ Money Order ☐ None ☐ Other (please identify): \_\_\_\_\_☒ Deposit Account Deposit Account Number: 502786 Deposit Account Name: BSH Home Appliances Corp.

For the above-identified deposit account, the Director is hereby authorized to: (check all that apply)

☒ Charge fee(s) indicated below☐ Charge fee(s) indicated below, except for the filing fee☒ Charge any additional fee(s) or underpayments of fee(s) under 37 CFR 1.16 and 1.17☒ Credit any overpayments

WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.

**FEE CALCULATION****1. BASIC FILING, SEARCH, AND EXAMINATION FEES**

Application Type	FILING FEES		SEARCH FEES		EXAMINATION FEES		Fees Paid (\$)
	Fee (\$)	Small Entity Fee (\$)	Fee (\$)	Small Entity Fee (\$)	Fee (\$)	Small Entity Fee (\$)	
Utility	310	155	510	255	210	105	
Design	210	105	100	50	130	65	
Plant	210	105	310	155	160	80	
Reissue	310	155	510	255	620	310	
Provisional	210	105	0	0	0	0	

**2. EXCESS CLAIM FEES****Fee Description**

Each claim over 20 (including Reissues)

Fee (\$)	Small Entity Fee (\$)
50	25
210	105
370	185

Each independent claim over 3 (including Reissues)

Multiple dependent claims

Total Claims	Extra Claims	Fee (\$)	Fee Paid (\$)
- 20 or HP =		50.00	

HP = highest number of total claims paid for, if greater than 20.

Indep. Claims	Extra Claims	Fee (\$)	Fee Paid (\$)
- 3 or HP =		210.00	

HP = highest number of independent claims paid for, if greater than 3.

**3. APPLICATION SIZE FEE**

If the specification and drawings exceed 100 sheets of paper (excluding electronically filed sequence or computer listings under 37 CFR 1.52(e)), the application size fee due is \$260 (\$130 for small entity) for each additional 50 sheets or fraction thereof. See 35 U.S.C. 41(a)(1)(G) and 37 CFR 1.16(s).

Total Sheets	Extra Sheets	Number of each additional 50 or fraction thereof	Fee (\$)	Fee Paid (\$)
- 100 =		/ 50 =	(round up to a whole number) x	

**4. OTHER FEE(S)**

Non-English Specification, \$130 fee (no small entity discount)

Other (e.g., late filing surcharge): Appeal Brief Fee

Fees Paid (\$)

510.00

**SUBMITTED BY**

Signature	<i>Russell W. Wamock</i>	Registration No. (Attorney/Agent) 32,860	Telephone 252-672-7927
Name (Print/Type)	Russell W. Wamock	Date June 26, 2008	

This collection of information is required by 37 CFR 1.136. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 30 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.



Attorney Docket No. 2003P00364WOUS

UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: Thomas Magyar et al  
Application Number: 10/544,215  
Filing Date: 07/29/2005  
Group Art Unit: 3677  
Examiner: Chuck Y. Mah  
Title: DOOR HANDLE

Mail Stop Appeal Brief - Patents  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**APPEAL BRIEF**

Pursuant to 37 CFR 1.192, Appellant hereby files an appeal brief in the above-identified application. This Appeal Brief is accompanied by the requisite fee set forth in 37 CFR 1.17(f).

06/30/2008 RFEKADU1 00000019 502786 10544215  
01 FC:1402 510.00 DA

Table of Contents

(1)	REAL PARTY IN INTEREST .....	3
(2)	RELATED APPEALS AND INTERFERENCES .....	3
(3)	STATUS OF CLAIMS .....	3
(4)	STATUS OF AMENDMENTS .....	3
(5)	SUMMARY OF CLAIMED SUBJECT MATTER .....	3
(6)	GROUND OF REJECTION TO BE REVIEWED ON APPEAL .....	5
(7)	ARGUMENT .....	5
(8)	CONCLUSION.....	6
	CLAIMS APPENDIX .....	8
	EVIDENCE APPENDIX .....	13
	RELATED PROCEEDINGS APPENDIX.....	14

(1) REAL PARTY IN INTEREST

The real party in interest is BSH Bosch und Siemens Hausgeraete GmbH.

(2) RELATED APPEALS AND INTERFERENCES

There are no appeals or interferences that will directly affect or be directly affected by or have a bearing on the Board's decision in the pending appeal.

(3) STATUS OF CLAIMS

Claims 14 - 32 are pending in the application and have been finally rejected. Claims 1 - 13, 33, and 34 have been canceled. The final rejection of claims 14 - 32 is being appealed.

(4) STATUS OF AMENDMENTS

In response to the Final Rejection dated October 31, 2007, a Response was filed on March 31, 2008. A Notice of Appeal was received in the US Patent Office on April 3, 2008. An Advisory Action was mailed on May 15, 2008. An Amendment has been filed on even date herewith to overcome the rejection of claims 14 - 34 under 35 U.S.C. § 112, first and second paragraph, and thereby place the present application in better condition for appeal.

(5) SUMMARY OF CLAIMED SUBJECT MATTER

**CLAIM 14**

Independent claim 14 of the present application recites a door handle 1 for mounting on a refrigeration furniture door (Paragraph [0030] and Figures 1 - 5).

The door handle 1 is a simple but effective construction made up of an elongated middle piece 2 and two end pieces 3,4 (Paragraph [0031] and Figures 1 – 4). Receiving elements are formed on either one of the end pieces 3, 4 or the middle piece 2, with at least two plug elements 21, corresponding to the receiving elements 35 formed on one of the middle piece 2 or the end pieces 3,4(Paragraph [0038] and Figures 1 – 3). The end pieces 3,4 are fixed to the middle piece 2 by the plug elements 21 being inserted into the receiving elements 35 on opposite ends of the middle piece 2, thereby extending the middle piece 2 in the longitudinal direction with the receiving elements having substantially continuous peripheral walls over their entire length (Paragraph [0031] and Figures 1 – 4).

#### **CLAIM 25**

According to independent claim 25, and as seen in Fig. 1, an assembly kit for a door handle 1 adapted to be mounted generally horizontally on a refrigerator furniture door is provided (Paragraph [0030] and Figures 1 – 5). The kit comprises an elongated middle piece 2 and two end pieces 3, 4 (Paragraph [0031], Paragraph [0032], and Figures 1 – 5). Receiving elements are formed on either one of the end pieces 3, 4 or the middle piece 2, with at least two plug elements 21, corresponding to the receiving elements 35 formed on one of the middle piece 2 or the end pieces 3,4(Paragraph [0038] and Figures 1 – 3). The end pieces 3,4 are fixed to the middle piece 2 by the plug elements 21 being inserted into the receiving elements 35 on opposite ends of the middle piece 2, thereby extending the middle piece 2 in the longitudinal direction with the receiving elements having substantially continuous peripheral walls over their entire length (Paragraph [0031] and Figures 1 – 4).

#### **CLAIM 29**

Independent claim 29 recites a method for producing a door handle 1, comprising forming a profile strand and cutting a pre-determined length from the profile strand forming an elongated middle piece 2, forming two end pieces 3,4 by individually molding each of the end pieces 3,4, and forming receiving elements, corresponding in number to at least two plug elements 21, on at least one of the middle piece 2 and the end pieces 3,4 (Paragraph [0031], Paragraph [0032], and Figures 1 – 5). Additionally, the method includes forming at least two plug elements on the other one of the middle piece and the end pieces and fixing the end pieces to the middle piece by inserting the plug element into the receiving elements on opposite ends of the middle piece (Paragraph [0031], Paragraph [0032], and Figures 1 – 5). Also, the method includes attaching the end pieces 3,4 to the middle piece 2, extending the middle piece in the longitudinal direction and forming the receiving elements with substantially continuous peripheral walls over their entire length.

(6) GROUND OF REJECTION TO BE REVIEWED ON APPEAL

Whether claims 14 – 32 are unpatentable under 35 U.S.C. §102(b) as being anticipated by U.S. Patent No. 5,144,718 to Ozawa?

(7) ARGUMENT

Whether claims 14 – 32 are unpatentable under 35 U.S.C. §102(b) as being anticipated by U.S. Patent No. 5,144,718 to Ozawa?

U.S. Patent No. 5,144,718 to Ozawa discloses a door pull 6 for a door 2. The door pull 6 has a hollow pull member 7 and a pair of fittings 8, 9 to be

coupled with opposite ends of the pull member 7 (column 2, lines 12 – 20 and Figures 1 - 7). The fittings 8, 9 include a hollow block 15 and a projection 16 extending from the hollow block 15 integrally therewith (column 2, lines 21 – 36 and Figures 1 - 7). The projection 16 has a base 17 and an end 18 which is slightly thinner than the base, with the end of the projection 16 having grooves 19 (column 2, lines 12 – 20 and Figures 1 - 7). An elastic tubular spacer 20 of synthetic resin is attached to and around the end of the projection 16 and includes wedges 21 so that the spacer 20 can be partially deformed inwardly by the wedges 21 into the grooves 19 when the fitting is connected to the hollow pull member 7 (column 2, lines 21 – 36) (column 2, lines 21 – 36 and Figures 1 - 7).

The Examiner asserts that U.S. Patent No. 5,144,718 to Ozawa discloses a door handle a door handle for mounting on a refrigeration furniture door (Official Action, p. 2). However, Appellants submit that U.S. Patent No. 5,144,718 to Ozawa does not teach or disclose a door handle for mounting on a refrigeration furniture door. As may be appreciated, the U.S. Patent No. 5,144,718 to Ozawa door handle is a much more complex arrangement than the elements recited in Appellants' claims. Thus, U.S. Patent No. 5,144,718 to Ozawa does not teach or disclose the door handle recited in claims 14 and 25 or the method recited in claim 29 of the present application.

Accordingly, U.S. Patent No. 5,144,718 to Ozawa does not teach disclose or suggest the arrangement described by the Examiner in rejecting the present claims under U.S. Patent No. 5,144,718 to Ozawa. Therefore, the rejection of Claims 14 - 32 under 35 U.S.C § 102(b) as being anticipated by U.S. Patent No. 5,144,718 to Ozawa is in error and it is respectfully requested that the outstanding rejection be reversed.

## (8) CONCLUSION

In view of the foregoing discussion, it is respectfully requested that the



Honorable Board of Patent Appeals and Interferences overrule the final rejection of Claims 14 - 32 over the cited art, and hold that the Appellants' claim be allowable over such art.

Respectfully submitted,

A handwritten signature in black ink, appearing to read "Russell W. Warnock".

Russell W. Warnock

Registration No. 32,860

June 26, 2008

BSH Home Appliances Corporation  
100 Bosch Blvd.  
New Bern, NC 28562  
Phone: 252-672-7927  
Fax: 714-845-2807  
russ.warnock@bshg.com

CLAIMS APPENDIX

1-13 (canceled)

14. A door handle for mounting, generally horizontally on a refrigeration furniture door, comprising:  
an elongated middle piece;  
two end pieces;  
receiving elements, corresponding in number to at least two plug elements, and formed on at least one of said middle piece and said end pieces;  
at least two plug elements formed on the other one of said middle piece and said end pieces;  
said end pieces fixed to said middle piece by said plug elements inserted into said receiving elements on opposite ends of said middle piece; and  
said end pieces attached to said middle piece, extending said middle piece in the longitudinal direction and said receiving elements having substantially continuous peripheral walls over their entire length.
15. The door handle according to claim 14, including said middle piece has a substantially straight profile.
16. The door handle according to claim 14, including said middle piece is an injection molded part.
17. The door handle according to claim 14, including said middle piece is a hollow extruded profile.

18. The door handle according to claim 14, including at least one of said receiving elements is formed on said middle piece and one of said plug elements complementary to said receiving element is formed on one of said end pieces.
19. The door handle according to claim 14, including the plugging direction of each receiving element and a plug element corresponding thereto is substantially parallel to the longitudinal axis of said middle piece.
20. The door handle according to claim 14, wherein each plug element includes a base surrounded by a circumferential projection which forms a stop for a receiving element corresponding thereto.
21. The door handle according to claim 20, including said plug element including a scoring for frictionally locking said plug element into said receiving element.
22. The door handle according to claim 14, including the outer contour of said middle piece continues substantially continuously into said end pieces.
23. The door handle according to claim 14, including at least one of said end pieces including a retaining toggle for form-locking connection to the furniture door.
24. The door handle according to claim 14, including at least one of said end pieces including at least one through hole adapted for inserting at least one fixing means for fixing said end piece to the furniture door.

25. An assembly kit for a door handle adapted to be mounted generally horizontally on a refrigerator furniture door, said kit comprising:
  - an elongated middle piece;
  - two end pieces;
  - receiving elements, corresponding in number to at least two plug elements, and formed on at least one of said middle piece and said end pieces;
  - at least two plug elements formed on the other one of said middle piece and said end pieces;
  - said end pieces adapted to be fixed to said middle piece by said plug elements;
  - said plug elements adapted to be inserted into said receiving elements on opposite ends of said middle piece; and
  - said end pieces when attached to said middle piece, extending said middle piece in the longitudinal direction, and said receiving elements having substantially continuous peripheral wall over their entire length.
26. The assembly kit according to claim 25, including said middle piece is a hollow extruded profile and including at least one of said receiving elements is formed on said middle piece and one of said plug elements complementary to said receiving element is formed on one of said end pieces.
27. The assembly kit according to claim 25, including at least one of said end pieces including a retaining toggle for a form-locking connection to the furniture door.

28. The assembly kit according to claim 25, including at least one of said end pieces including a retaining toggle for a form-locking connection to the furniture door.
29. A method for producing a door handle, comprising:
  - forming a profile strand and cutting a pre-determined length from said profile strand forming an elongated middle piece;
  - forming two end pieces by individually molding each of said end pieces;
  - forming receiving elements, corresponding in number to at least two plug elements, on at least one of said middle piece and said end pieces;
  - forming at least two plug elements on the other one of said middle piece and said end pieces;
  - fixing said end pieces to said middle piece by inserting said plug element into said receiving elements on opposite ends of said middle piece; and
  - attaching said end pieces to said middle piece, extending said middle piece in the longitudinal direction and forming said receiving element with substantially continuous peripheral walls over their entire length.
30. The method according to claim 29, including forming said middle piece with a hollow extruded profile and forming at least one of said receiving elements on said middle piece and forming one of said plug elements complementary to said receiving element on one of said end pieces.
31. The method according to claim 29, including forming a retaining toggle on at least one of said end pieces for a form-locking connection to the furniture door.

32. The method according to claim 29, including forming at least one through hole in at least one of said end pieces adapted for inserting at least one fixing means for fixing said end piece to the furniture door.
33. (Canceled)
34. (Canceled)

EVIDENCE APPENDIX

None

Attorney Docket No. 2003P00364WOUS

RELATED PROCEEDINGS APPENDIX

None